
# Creating Age-Friendly Care Environments with the NICHE Practice Model and the 4Ms

November 8, 2024 Karen Mack, DNP, MBA, APRN, CCNS, ACNP-BC Executive Director, NICHE NYU Rory Meyers College of Nursing






1

# Learning Outcomes

- Discuss the interrelationship of NICHE, Age-Friendly Health Systems Movement, and other Geriatric Quality Programs
- Identify the components of the NICHE practice model and the Age-Friendly Health System 4Ms
- Analyze examples of 4Msfocused clinical improvement projects relative to the NICHE practice model components.



3







alzheimer's  $\bigcap$  association°











### CMS Age-Friendly Measure

Elicit patient health care goals

Responsibly manage medications

Implement frailty screening and intervention (including for cognition and mobility)

Assess social vulnerability (e.g. social isolation, caregiver stress, elder abuse)

Designate age-friendly leadership

Reporting starts January 2025 for US hospitals participating in Inpatient Prospective Payer System

5

### Nurses' Vital Roles in Value-Based Care



Eliminate harmful practices



Prepare patients and families



Adopt evidence-based care protocols



Coordinate care



Interprofessional team practice



Data analysis and ongoing improvement

# Core Competencies for Nurses at **All Organizational Levels** to Advance Age-Friendly Care

Comprehensive assessment using validated tools

Interdisciplinary care planning and collaboration

Age-sensitive principles incorporated into the patient care environment

Culturally congruent practice

Reliable use of evidence-based approaches and models of care

Coordination of care and services across the continuum

7

# Core Competencies for Nurses at **All Organizational Levels** to Advance Age-Friendly Care (cont.)

Patient and family education and engagement

Promotion of health and wellness, safety, mobility/function, autonomy

Screening for, prevention, and management of geriatric syndromes

Prevention of harms of care (e.g., adverse drug events)


Ongoing improvement of care and outcomes

Continuing education and professional development


# Nurses Improving Care for Healthsystem Elders (NICHE) is in our 4<sup>th</sup> decade!

1981-1991
Development Phase of
Geriatric Resource Nurse
(GRN) Role and Hospital
Outcomes Program for
the Elderly (HOPE)

1992-1998 HOPE Becomes NICHE 1996-Today
NICHE at NYU Meyers
College of Nursing
2022 American Academy
of Nursing Edge-Runner
Designation



# The Geriatric Resource Nurse (GRN) Model: Nurses as Age-Friendly Champions



11

### GRN Role and Responsibilities (Supported by the NICHE Coordinator)



### Leadership

- Resource and role model to peers
- Engages with NICHE program leaders and nursing and interdisciplinary colleagues
- · Advocates for older adults and their caregivers


### Geriatric Staff Competence

- Participates in the development and delivery of educational programs for nursing staff and others
- Disseminates NICHE resources and information to the nursing and interdisciplinary teams (e.g., pocket cards)


Quality Improvement and Evidence-Based Interdisciplinary Care Planning

- Leads nursing rounds using evidence-based tools such as the SPICES and 4M assessment tools
- Implements, monitors, and evaluates evidence-based care standards, protocols, and guidelines
- Evaluates the care of older adults through the development, collection, and analysis of data (e.g., admission and discharge nurse)

### **GRN Model: Key Principles**




13




### NICHE Leadership Roles and Reporting Structures

# Chief Nursing Officer/Nurse Executive NICHE Coordinator\* NICHE Steering Committee GRN\* GPCA\* Knowledge Center Administrator\* \* NICHE job description describes the role

15



# NICHE Geriatric Nursing Protocols To Manage the Geriatric Syndromes



17

# Geriatric Nursing Protocols to Address Specialty Topics



# Geriatric Nursing Protocols to Enhance Patient Safety

Optimizing mealtime for people living with dementia

Appropriate restraints and siderail use

Fluid Overload and Heart Failure

Appropriate restraints and siderail use

Substance Use Disorder

Transitions of Care

19

### Clinical Protocols and Quality Improvement

- Reduce variations in care by offering a structure for clinical decision making and intervention
- Improve communication and coordination among clinicians
- Supports "**programmed coordination**" to effectively manage clients following a predictable clinical course
- Enables "**relational coordination**" to manage exceptions through shared decision making and problem solving
- Reducing variation for populations of clients leads to improvements in costs, treatment time, discharge, readmission rates, client and clinician satisfaction



## Patient and family education

# Nurse-Led Care Transitions



Family caregiver preparedness



Connection to home- and community-based services



Access to palliative and end-of-life care

21

### **Physical Environment**




Ongoing evaluation of physical environment against best practices



Age-sensitive principles are reflected in the environment and workflows



Adaptive equipment is readily available



23

### The Geriatric Nursing Core: **SPICES** and **4M**s Frameworks

# SPECIALTY PRACTICE

### **SPICES**

- Sleep
- Problems with eating or feeding
- Incontinence
- Confusion
- · Evidence of falls
- Skin breakdown

# GENERALIST PRACTICE

### 4Ms

- What Matters
- Medication
- Mentation
- Mobility

# Organizational Strategies to Reduce Clincial Variation



25

### Care of Surgical Patient Protocol

Johns Hopkins Bayview Medical Center

- High-Risk Surgical Patients: The impact of a nurse-driven preoperative multidisciplinary conference
- Intervention
  - · Review an average of 6 high-risk patients per week
  - Use of EMR documentation progress note
  - · Early identification of patient barriers
  - · Considerations for bed assignment planning
  - · Advanced planning for family support
  - · Advanced planning for nursing resources
- Outcomes
  - · Patients were three times more likely to return home
  - · Readmissions decreased by 52%



# Emergency Department Protocol Cedars Sinai Medical Center

- Geriatric Emergency Department BCAM, TLC Volunteers, & Fall Prevention
- Intervention
  - Geriatric Syndrome Screening
    - BCAM Delirium screening
    - · Morse Fall Assessment
    - · Timed Up and Go Mobility Assessment
  - Tender Loving Care (TLC) Volunteer Program
    - Provide companionship and distraction
- Outcomes
  - Decreased falls by 57%
  - Decreased restraint time by 50%



27

### **Function-Focused Care Protocol**

Hackensack Meridian Health Raritan Bay Medical Center /Oldbridge Medical Center

- Implementation of Evidence-Based Supervised Walking Program for Older Adults in an Acute Care Hospital
  - Intervention
    - · Stride Mobility Program
    - · Bedside Mobility Assessment Tool
  - Outcomes
    - Fall rate was decreased from 3.39 to 1.2, and no injury was reported.
    - · Length of Stay was reduced from 6.8 days pre-implementation to 5.13 days during implementation



### Pressure Injury Protocol Inova Mount Vernon Hospital

### Bringing High Reliability to the Pressure Injury Prevention Program

- Intervention
  - Proactive surveillance, strengthening and communicating HAPI Prevention Protocol, CWOCN & GRN skin champions, nurse educator assessment/ education implementation to strengthen nursing knowledge, serial PDSA cycles involving staff in finding solutions



- Outcomes
  - 45% reduction in HAPI (11.7 HAPI/month decreased to 5.8)
  - Over \$600,000 in cost reduction

29

### Sleep Protocol

Atlantic Health System Hackettstown and Newton Medical Centers

- Who Needs Sleep?
  - Intervention
    - Implementation of McDonnell and Newcomb's Aromatherapy protocol
  - Outcomes
    - Improved rates of sleeppromotion medications
    - Improved perception of sleep (Pittsburgh Sleep Quality Index)



### **Transitions of Care Protocol**

White Plains Hospital

- Improving the Post-Acute Transition Of Care for Older Adults with Telehealth
  - Intervention
    - Nurse-led transitional care intervention
  - Outcomes
    - Patients and Caregivers more likely to
      - Rate the hospital highly at 77% vs
      - Recommend the hospital at 89 vs 68%
    - · Readmissions decreased
      - Heart Failure by 5.1%
      - COPD by 11.9%
      - · Pneumonia 2.5%



31

### **Key Takeaways**

- NICHE is a nursing innovation in its fourth decade that continues to adapt to the current milieu and effectively optimizes patient outcomes.
- NICHE catalyzes Age-Friendly Health Systems initiatives to achieve clinical excellence and culture change.
- NICHE aligns with and partners with other geriatric quality programs.
- The NICHE practice model was illustrated at many of the SPICES and 4Ms clinical improvement project presentations featured at this meeting.

### References

- Arendacs, R., & Boltz, M. (2021). Care of the older adult in the emergency department. In M. Boltz, E. A. Capezuti, D. Zwicker, & T. Fulmer, Evidence-based geriatric nursing protocols for best practice (6th ed., pp. 847-870). New York: Springer. doi:10.1891/9780826188267
- Blevins, C. (2021). Delirium: Prevention, early recognition, and treatment. In M. Boltz, E. M. Capezuti, D. Zwicker, & T. Fulmer, Evidence-based geriatric nursing protocols for best practice (6th ed., pp. 317-329). New York: Springer. doi:10.1891/9780826188267
- Boltz, M., Capezuti, E. A., Zwicker, D., & Fulmer, T. (2021). Evidence-based geriatric nursing protocols for best practice (6th ed.). New York: Springer. doi:10.891/9780826188267
- Boltz, M., Resnick, B., & Galik, E. (2021). Preventing functional decline in the acute care setting. In M. Boltz, E. A. Capezuti, D. Zwicker, & T. Fulmer, Evidence-based geriatric nursing protocols for best practice (6th ed., pp. 281-294). New York: Springer. doi:10.1891/9780826188267
- Capezuti, E., Boltz, M., Malone, M. L., & Palmer, R. M. (2021). Acute care models. In M. Boltz, E. A. Capezuti, D. Zwicker, & T. Fulmer, Evidence-based geriatric nursing protocols for best practice (6th ed., pp. 799-805). New York: Springer. doi:10.891/9780826188267
- Fulmer, T. (2007, October). How to try this: Fulmer SPICES. AJN, American Journal of Nursing, 107(10), 40-48. doi:10.1097/01.NAJ.0000292197.76076.e1
- Fulmer, T., Glassman, K., Rosenfeld, P., Gilmartin, M., & Mezey, M. (2020). Nurses Improving Care for Healthsystem Elders: NICHE. New York: Springer. doi:10.1891/9780826170828
- Gilmartin, M. J. (2022). NICHE Change Management Guidebook. New York: New York University Rory Meyers College of Nursing.
- Gilmartin, M. J. (2023). An evidence-based change management model to guide NICHE implementation efforts. 49, 212-215. doi:10.1016/j.gerinurse.2022.12.004
- Institute for Healthcare Improvement. (2018). Age-Friendly Health Systems (AFHS) and Nurses Improving Care for HealthSystem Elders (NICHE): How do they work together? Boston: IHI. Retrieved from https://f.hubspotusercontent30.net/hubfs/241684/NICHE-AFHS%20Crosswalk%202018.pdf

33

### References

- Institute for Healthcare Improvement. (2020). Age-Friendly Health Systems: Guide to using the 4Ms in the care of older adults. Boston: IHI.
- Lim, F., & Foust, J. B. (2021). Transitional care. In M. Boltz, E. A. Capezuti, D. Zwicker, & T. Fulmer, Evidence-based geriatric nursing protocols for best practice (6th ed., pp. 807-824). New York: Springer. doi:10.1891/9780826188267
- Lim, F., & Slater, L. Z. (2021). Geriatric surgical care of the older adult. In M. Boltz, E. A. Capezuti, D. Zwicker, & T. Fulmer, Evidence-based geriatric nursing protocols for best practice (6th ed., pp. 721-753). New York: Springer. doi:10.1891/9780826188267
- McCausland, M. P. (2020). Large-scale evidence-based change: An integrated delivery system approach to NICHE. In Fulmer, T., K. Glassman, S. Greenberg, P. Rosenfeld, M. Gilmartin, & M. Mezey, Nurses improving care for healthsytem elders: NICHE (pp. 197-204). New York: Springer. doi:10.1891/9780826170828
- Morris, J. L., Baniak, L., Klimpt, M. L., Chasens, E. R., & Dean, G. E. (2021). Disorders of sleep in the older adult. In M. Boltz, E. A. Capezuti, D. Zwicker, & T. Fulmer, Evidence-based geriatric nursing protocols for best practice (6th ed., pp. 545-561). New York: Springer. doi:10.1891/9780826188267
- Persaud-Jaimangal, R., Ayello, E. A., & Sibbald, R. G. (2021). Preventing pressure injuries and skin tears. In M. Boltz, E. A. Capezuti, D. Zwicker, & T. Fulmer, Evidence-based geriatric nursing protocols for best practice (pp. 501-525). New York: Springer. doi:10.1981/9780826188267
- Tanner, C. A. (2006). Thinking like a nurse: A research-based clinical model of judgment in nursing. Journal of Nursing Education, 45(6), 204-211.
- United States Census Bureau. (2021, October 8). An aging nation: Projected number of children and older adults. Retrieved from United States Census Bureau website: https://www.census.gov/library/visualizations/2018/comm/historic-first.html
- World Health Organization. (2023). National programmes for age-friendly cities and communities: a guide.
- Zwicker, D., Carvajal, C., & Fulmer, T. (2021). Reducing adverse drug events in older adults. In M. Boltz, E. A. Capezuti, D. Zwicker, & T. Fulmer, Evidence-based geriatric nursing protocols for best practice (6th ed., pp. 409-437). New York: Springer. doi:10.1891/9780826188267



# Questions & Answers

Discussion

35

### **NICHE National Program Office Team**

